ELSEVIER

Journal of Immunological Methods 213 (1998) 213–214

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 213 (1998)

Number 1 – 1 April 1998

Research reports

Identification of epitopes within beta lactoglobulin recognised by polyclonal antibodies using phage display and PEPSCAN
S.C. Williams, R.A. Badley, P.J. Davis, W.C. Puijk and R.H. Meloen (UK, Netherlands) 1
A novel flow cytometric assay for quantitating adherence of *Helicobacter pylori* to gastric epithelial cells
R.P.H. Logan, A. Robins, G.A. Turner, A. Cockayne, S.P. Borriello and C.J. Hawkey (UK) 19
Fluorescence polarisation for immunoreagent characterisation
P. Önnerfjord, S. Eremin, J. Emnéus and G. Marko-Varga (Sweden, Russian Federation) 31
Rapid fluorescence-based measurement of neutrophil migration in vitro
C.W. Frevert, V.A. Wong, R.B. Goodman, R. Goodwin and T.R. Martin (USA) 41
Flow analysis of MHC molecules and other membrane proteins in isolated phagosomes
L. Ramachandra, R.M. Sramkoski, D.H. Canaday, W.H. Boom and C.V. Harding (USA) 53
General method for the detection and in vitro expansion of equine cytolytic T lymphocytes
S.A. Hammond, C.J. Issel and R.C. Montelaro (USA) 73
A simple and rapid microSepharose assay for GAD65 and ICA512 autoantibodies in diabetes
D.B. Schranz, L. Bekris, M. Landin-Olsson, C. Törn, A. Niläng, Å. Toll, H. Grönlund, B. Toivola, Å. Lernmark and D.I.S.S. (DISS) (USA, Sweden) 87
Stability of immunoglobulin E (IgE) in stored obstetric sera
C.E. Henderson, D. Ownby, M. Klebanoff and R.J. Levine (USA) 99
The use of lectin-dependent lysis for detection of cytotoxic T lymphocytes in outbred animals
M. Andrew (Australia) 103

Book review 109

Notes to authors 111

Number 2 – 15 April 1998

Research reports

Quantitation of the oligosaccharides of human serum IgG from patients with rheumatoid arthritis: a critical evaluation of different methods
F.H. Routier, E.F. Hounsell, P.M. Rudd, N. Takahashi, A. Bond, F.C. Hay, A. Alavi, J.S. Axford and R. Jefferis (UK, Japan) 113
Carbohydrates engineered at antibody constant domains can be used for site-specific conjugation of drugs and chelates
Z. Qu, R.M. Sharkey, H.J. Hansen, L.B. Shih, S.V. Govindan, J. Shen, D.M. Goldenberg and S.-o. Leung (USA) 131
Flow cytometric analysis of urine lymphocytes isolated from patients with renal transplants—purification of urine lymphocytes
J. Stachowski, C. Barth, M. Lewandowska-Stachowiak, P. Lammerding, D. Runowski and C.A. Baldamus (Germany, Poland) 145
A novel one-step, highly sensitive fluorometric assay to evaluate cell-mediated cytotoxicity
M.M. Nociari, A. Shalev, P. Benias and C. Russo (USA) 157
A subtractive PCR-based cDNA library made from fetal thymic stromal cells
M.G. Kim, C. Chen, F.A. Flomerfelt, R.N. Germain and R.H. Schwartz (USA) 169
A novel ex vivo rat infection model to study protective immunity against *Fasciola hepatica* at the gut level
F.J. Van Milligen, J.B.W.J. Cornelissen, C.P.H. Gaasenbeek and B.A. Bokhout (Netherlands) 183

Determination of synapsin I and synaptophysin in body fluids by two-site enzyme-linked immunosorbent assays
G. Schlaf, C. Salje, A. Wetter, K. Stuertz, K. Felgenhauer and M. Mäder (Germany) 191
Rabbit monoclonal Fab derived from a phage display library
M. Foti, F. Granucci, P. Ricciardi-Castagnoli, A. Spreafico, M. Ackermann and M. Suter (Italy, Switzerland) 201

Contents of volume 213 (1998) 213

Notes to authors 215